

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov



CONFIRMATION NO. 7380

Bib Data Sheet

| SERIAL NUMBER 10/814,168 | FILING OR 371(c) DATE 04/01/2004 RULE | CLASS 060 | | GROUP ART UNIT 3748 | | ATTORNEY DOCKET NO. 119289 | | |
|---|---|--------------|------------------------------|------------------------|---|----------------------------------|--|----------------------------|
| APPLICANTS Shigemasa Hiro | ooka, Susosno-shi, JAPA | N; | | | | | | |
| ** CONTINUING DAT | A ******* | | | | | | | |
| JAPAN 2003-1 | ATIONS ************************************ | |) | | | | | |
| Foreign Priority claimed 35 USC 119 (a-d) conditions wet Verified and Acknowledged Acknowledged | | | STATE OR COUNTRY JAPAN | SHEETS DRAWING 8 | | TOTAL CLAIMS 14 | | INDEPENDENT CLAIMS 2 |
| ADDRESS 25944 | | | | | | | | |
| TITLE | | | | | | | | |
| Failure diagnosis apparatus for secondary air supplier | | | | | | | | |
| RECEIVED No. | ES: Authority has been given in Paperto charge/credit DEPOSIT ACCOUNTfor following: | | | | All Fees 1.16 Fees (Filing) 1.17 Fees (Processing Ext. of time) 1.18 Fees (Issue) Other Credit | | | |